



Wildland Hazard Protection with F-500 EA[®]





EXPLORING WILDLAND FIRE HAZARDS



Wildland fires across the globe are on the rise. As climate conditions continue to worsen, the inclusion of an innovative solution is crucial. Each year, weather related events become more intense. Hurricanes, tornadoes, floods, and other natural phenomenon contribute to the erosion of woodlands. As inhabited areas scramble to recover from the damage, natural landscapes often take a backseat. This can result in a buildup of wildland devastation, posing an undeniable fire hazard during warmer seasons.

SINCE 2000, WILDFIRES HAVE BURNED AN ANNUAL AVERAGE OF 7 MILLION ACRES IN THE UNITED STATES ALONE; MORE THAN DOUBLE THE ANNUAL AVERAGE BURNED IN THE 90S

NIIC

HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM



**PROTECT YOUR
COMMUNITY AND THE
ENVIRONMENT WITH ONE
INNOVATIVE ECO-FRIENDLY
ENCAPSULATOR AGENT**



FLUORINE FREE



BIODEGRADABLE



NONCORROSIVE



HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM



NFPA 18A

ENCAPSULATOR AGENTS (EA)

Encapsulator Agents are a type of water additive whose basic building blocks are spherical micelles capable of encapsulating carbon molecules and both polar and non-polar hydrocarbon vapor and liquid molecules. They possess four unique features, including encapsulation, rapid heat reduction, free radical interruption, and eco-friendly benefits.

Encapsulator Agents absorb free radical energy, halting the production of carcinogenic toxins present in smoke and soot at the nozzle.

WILDLAND FIREFIGHTER HEALTH RISKS

SMOKE, SOOT, AND TOXIN EXPOSURE

According to the United States Department of Agriculture (USDA), wildland firefighters are exposed to dangerous levels of carbon monoxide as well as several known carcinogens, including benzene, formaldehyde, and certain PAHs.

AIR DROPS AND REDUCING EXPOSURE

Following extensive testing, F-500 EA® was chosen by the Georgia State Forest Service to use in their planes for air drops. Encapsulator Technology can reduce the concentration of toxins present in smoke and soot, greatly improving ground conditions for wildland fire brigades and the surrounding communities they serve.

HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM



PROACTIVE PROTECTION

HEALTH

Proactively promote community and firefighter health by utilizing a 1% F-500 EA® solution for wildland firefighting. Prevent the concentration of carcinogenic fumes at the nozzle while reducing toxic smoke and soot exposure in your neighborhood in the process.

SAFETY

Shield homes and businesses from smoke, soot, and fire damage. Proactively applying a 1% solution of F-500 EA® can protect structures, shrubs, and trees in WUI communities. Pre-treating can prevent fire spread as well as re-ignition in previously affected areas.



PRE-TREATING

1%

HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM

CASE STUDY

SOUTH AMERICA



BOLIVIA

2019

We donated 1,000 liters of F-500 Encapsulator Agent (F-500 EA®) concentrate to fight wildfires in the Amazon and protect neighboring communities in Bolivia.



HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM



CHILE

2019

Chile's government worked alongside our distributor to test F-500 Encapsulator Agent (F-500 EA®) using a chinook helicopter equipped with 10,000 liters of F-500 EA® solution.



ARGENTINA

2019

The government in Cordoba invested in F-500 Encapsulator Agent (F-500 EA®) to use in backpacks, trucks, and air tractors while battling wildland fires.



HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214 / +1 770 719 5112 / INFO@HCT-WORLD.COM / HCT-WORLD.COM



HAZARD CONTROL TECHNOLOGIES

150 WALTER WAY, FAYETTEVILLE, GEORGIA 30214

+1 770 719 5112 / INFO@HCT-WORLD.COM

HCT-WORLD.COM

